

The Konqueror Plugins Handbook

Lauri Watts



The Konqueror Plugins Handbook

Contents

1	Introduction	1
2	Credits and License	2
A	Installation	3

Abstract

This is the handbook for the additional plugins for Konqueror the KDE file manager and web browser.

Chapter 1

Introduction

The kdeaddons package contains several plugins for Konqueror. Despite their small size, they provide additional functions and ease the use of some of the functions Konqueror already contains, by making them more accessible.

More information on the use of Konqueror and its built in functionality, can be found in the Konqueror handbook.

To load these plugins from within Konqueror, select Settings → Configure Extensions.... Go to the Tools tab and choose the wanted plugins.

This is a list of the *standard* configuration modules provided by the KDE addons package. Please note that there may be many more modules on your system if you have installed additional software.

- [Babelfish](#)
- [The DOM tree viewer](#)
- [The Konqueror image gallery](#)
- [The Embedded Media Player](#)
- [The Validators](#)
- [Kuick](#)
- [The Folder Filter](#)
- [KHTMLSettings](#)
- [The User Agent Changer](#)
- [The Web Archiver](#)
- [The Crashes Plugin](#)
- [FSView - the File System View](#)

Chapter 2

Credits and License

Copyrights for each plugin are listed in the applicable chapter.

This documentation is licensed under the terms of the [GNU Free Documentation License](#).

This program is licensed under the terms of the [GNU General Public License](#).

Appendix A

Installation

Konqueror Plugins is part of the KDE project <http://www.kde.org/> .

Konqueror Plugins can be found in the kdeaddons package on <ftp://ftp.kde.org/pub/kde/> , the main FTP site of the KDE project.

You should install the kdebase package which contains Konqueror before attempting to compile this package.

In order to compile and install Konqueror Plugins on your system, type the following in the base directory of the Konqueror Plugins distribution:

```
% ./configure
% make
% make install
```

Since Konqueror Plugins uses **autoconf** and **automake** you should have no trouble compiling it. Should you run into problems please report them to the KDE mailing lists.