

# **The KonsoleKalendar Handbook**

**Tuukka Pasanen**

**Allen Winter**

**Reviewer: Malcolm Hunter**



## The KonsoleKalendar Handbook

# Contents

<b>1</b>	<b>Introduction</b>	<b>5</b>
<b>2</b>	<b>Features</b>	<b>6</b>
2.1	Viewing Events . . . . .	6
2.2	Inserting Events . . . . .	6
2.3	Removing Entries . . . . .	7
2.4	Modifying Entries . . . . .	7
2.5	Creating a New Calendar File . . . . .	8
2.6	Exporting to Other Formats . . . . .	8
2.7	Export Formats . . . . .	8
2.7.1	KonsoleKalendar Text Format . . . . .	8
2.7.2	KonsoleKalendar Short Text Format . . . . .	9
2.7.3	Comma-Separated Values (CSV) Format . . . . .	9
2.7.4	HTML Format . . . . .	9
2.7.5	HTMLmonth Format . . . . .	10
2.8	Importing Calendars . . . . .	10
<b>3</b>	<b>Command Line Arguments</b>	<b>11</b>
<b>4</b>	<b>Questions and Answers</b>	<b>13</b>
<b>5</b>	<b>Credits and License</b>	<b>14</b>

## **Abstract**

KonsoleKalendar is a command line interface to KDE calendars.

# Chapter 1

## Introduction

KonsoleKalendar is a command line interface to calendars. It lets you view, insert, remove, or modify calendar events by way of the command line or from a scripting language. Additionally, KonsoleKalendar can create a new calendar, export a calendar to a variety of other formats, and import another calendar.

In its basic mode, KonsoleKalendar displays the list of events in your default calendar for the current day (from 7:00 to 17:00).

Main features of KonsoleKalendar:

- View calendar entries from a start date/time to end date/time
- Insert (add) calendar entries
- Remove (delete) calendar entries
- Modify (change) calendar entries
- Create a new calendar
- Export calendar entries to other file formats
- Import an existing calendar

KonsoleKalendar is *not* another graphical user interface to a KDE calendar (i.e. KOrganizer). KonsoleKalendar is intended solely for uses where a graphical user interface is not practical or possible.

KonsoleKalendar does *not* provide a full-featured language for making queries of the user's calendar: nor is it the intention of the authors to ever write such a capability. Primitive command line options are provided for accessing calendar events within a consecutive range of dates/time stamps.

## Chapter 2

# Features

In this chapter you'll learn about the main features of KonsoleKalendar and how to control them using the command line parameters (remember that KonsoleKalendar is not a graphical user interface; it is a command line program only).

You'll learn about inserting, deleting, and changing calendar events, and how to export events to other file formats. The creation and importation of calendars will also be covered in this chapter.

### 2.1 Viewing Events

In its default mode, or by using the `--view` option, KonsoleKalendar will list all events within the range of a specified date/time.

To view all of today's events (from 7:00 to 17:00), simply run:

```
% konsolekalendar
```

In this next example, we view all events for the week of August 18-22:

```
% konsolekalendar --view --date 2016-08-18 --end-date 2016-08-22
```

Show the next event(s) on the calendar from the current time forward:

```
% konsolekalendar --next
```

To view all events for the next 5 days run:

```
% konsolekalendar --show-next 5
```

### 2.2 Inserting Events

KonsoleKalendar can insert events into a calendar or calendar resource using the `--add` command line argument. Events successfully inserted will be immediately shown by KDE calendar applications (like KOrganizer).

You get a list of all calendars and their id's using:

```
% konsolekalendar --list-calendars
```

## The KonsoleKalendar Handbook

In the following example, an event starting on 2016-12-01 (December 1, 2016) at 10:00 and ending at 12:00 with summary "Doctor Visit" will be inserted into the user's calendar resource with the id 8:

```
% konsolekalendar --add --calendar 8 --date 2016-12-03 --time 10:00 \  
--end-time 12:00 --summary "Doctor Visit"
```

In this example, a birthday event is added into the user's calendar resource with the id 8:

```
% konsolekalendar --add --calendar 8 --date 2016-12-06 --summary "My   
  Birthday" \  
--description "Party Time"
```

Here a one week vacation is inserted into a calendar with the id 8:

```
% konsolekalendar --add --calendar 12 --date 2017-08-01 \  
--end-date 2017-08-07 --summary "Vacation" --description "Nobody will ever   
  find me!"
```

### 2.3 Removing Entries

KonsoleKalendar supports the removal of entries in a calendar file or resource using the `--delete` command line argument. Calendar entries to be removed are specified exactly by their Unique-string identifier (UID) using the `--uid` option. UIDs are found by first viewing the event, using the `--view`, `--next` or `--show-next` options.

Events successfully deleted will be immediately removed from within KDE calendar applications (KOrganizer for example).

#### WARNING

When you delete something from the calendar you *cannot* undo it! In other words, when you delete an entry you cannot reverse the deletion. It's gone for good.

Here we delete a calendar entry with UID `KonsoleKalendar-1887551750.196`:

```
% konsolekalendar --delete --uid KonsoleKalendar-1887551750.196
```

### 2.4 Modifying Entries

KonsoleKalendar supports the modification of existing entries in a calendar file or resource using the `--change` command line argument. Calendar entries to be modified are specified exactly by their Unique-string identifier (UID) using the `--uid` option. UIDs are found by first viewing the event, using the `--view`, `--next` or `--show-next` options.

Changing behaves in the same way as inserting: you can change an event's start date and time, end date and time, summary, location, and description. Events successfully changed will be immediately shown modified within KDE calendar applications (KOrganizer).

*Example:* Here we change the summary and description of a calendar entry with UID `KonsoleKalendar-1887551750.196`:

```
%konsolekalendar --change --uid KonsoleKalendar-1887551750.196 --su  
mmary "Get my head examined" --description "don't go to that doctor  
anymore!"
```

## 2.5 Creating a New Calendar File

KonsoleKalendar can be used to create new calendars from existing files. You can create the calendar using the option `--create` with the filename as argument. The file must be a valid iCal or vCal file.

Note: You can not use the option `--dry-run` to test if the resource can be created.

Note: KonsoleKalendar needs the file to work, so never delete the file by hand.

Technical sidenote: KonsoleKalendar creates with this command a new Akonadi resource pointing to this file. It does not prevent you to create multiple resources pointing to the same file.

Create a new calendar from an existing file named `vacation.ics`:

```
% konsolekalendar --create vacation.ics
```

The resource will be named 'vacation' using `--list-calendars`

It is not possible to delete an Akonadi resource with KonsoleKalendar, you have to use KOrganizer or akonadiconsole.

## 2.6 Exporting to Other Formats

KonsoleKalendar can export a calendar to other well known formats. Exporting is a special form of viewing. By default, events are viewed in 'KonsoleKalendar text' format. To change the viewing format use the `--export-type` command line argument.

To see a list of all supported export formats, use the `--export-list` option, as in:

```
% konsolekalendar --export-list
```

## 2.7 Export Formats

Some, but not necessarily all, of the supported formats are described in the this section.

### 2.7.1 KonsoleKalendar Text Format

KonsoleKalendar Text Format is KonsoleKalendar's native format and is designed to be comfortable to read and to be parsed by follow-on scripts.

The KonsoleKalendar Text Format is:

```
Date:\t<Incidence Date>(dddd yyyy-MM-dd)
[\t<Incidence Start Time>(hh:mm) - <Incidence End Time>(hh:mm)]
Summary:
\t<Incidence Summary | "(no summary available)">
Location:
\t<Incidence Location | "(no location available)">
Description:
\t<Incidence Description | "(no description available)">
UID:
\t<Incidence UID>
-----
```

Output of `konsolekalendar --next --export-type Text`:



## The KonsoleKalendar Handbook

```
Date:    Tuesday 2016-11-29
         08:00 - 09:00
Summary:
         Staff Meeting
Location:
         Conference Room
Description:
         Meet with the entire staff to discuss the project.
UID:
         KonsoleKalendar-1924621834.134
-----
```

### 2.7.2 KonsoleKalendar Short Text Format

Short Text Format provides a more compact, less verbose version of KonsoleKalendar's native format.

The KonsoleKalendar Short Text Format is:

```
[-----]
{<Incidence Date>(dddd yyyy-MM-dd)}
[<Incidence Start Time>(hh:mm) - <Incidence End Time>(hh:mm) | "\t"]
\t<Incidence Summary | \t>[, <Incidence Location>]
\t\t<Incidence Description | "\t">
```

Output of **konsolekalendar --next --export-type Short:**

```
-----
Tuesday 2016-11-29
08:00 - 09:00   Staff Meeting, Conference Room
                 Meet with the entire staff to discuss the project.
```

### 2.7.3 Comma-Separated Values (CSV) Format

Comma-Separated Value Format displays the event values in the same order as KonsoleKalendar Text format. The only difference is that all the information is on the same row with each field separated by a comma. The resulting exported files can be imported directly into spreadsheet programs like Calligra Sheets, OpenOffice.org Calc, and Microsoft® Excel. Also, CSV format is easy to parse with follow-on scripts.

The Comma-Separated Value (CSV) format is:

```
"Weekday, Month Day, Year", "HH:MM", "Weekday, Month Day, Year", "HH:MM", " ←
  Summary", "Location", "Description", "UID"
```

Output of **konsolekalendar --next --export-type CSV:**

```
"Tuesday, November 29, 2016", "08:00", "Tuesday, November 29, 2016", "09:00", " ←
  Staff Meeting", "Conference Room", "Meet in the big conference \
room with the entire staff.", "KonsoleKalendar-1924621834.134"
```

### 2.7.4 HTML Format

The HTML export format will produce a valid HTML file that can be published to the WWW. This export format is not suitable for follow-on script parsing, but is very nice for publishing calendars for easy public viewing.

### 2.7.5 HTMLmonth Format

This format produces an HTML file showing all appointments in the months specified by the date range. This export format is not suitable for follow-on script parsing, but is very nice for publishing calendars for easy public viewing.

## 2.8 Importing Calendars

KonsoleKalendar can import an iCal or vCal calendar file into calendar. All events from the calendar being imported from will be inserted, skipping identical events, that are already part of the calendar.

To import calendar file *vacation.ics* into calendar with the id *8* run:

```
% konsolekalendar --import vacation.ics --calendar 8
```

## Chapter 3

# Command Line Arguments

KonsoleKalendar supports the following options:

Option	Description
<i>Generic options:</i>	
--help, --help-all	Shows help about the program options.
--author	Shows the program author information.
-v, --version	Shows the program version information.
--license	Shows the program license information.
<i>Options:</i>	
--verbose	Print helpful runtime messages.
--dry-run	Print what would have been done, but do not execute. Do not change any files; do not insert, remove, modify any existing files, nor create any new files.
--allow-gui	Permit resources which might need an interactive user interface. In normal operation, only resources which never will require a user interface are used (like file-based calendars).
<i>Incidence types (these options can be combined):</i>	
--event	Operate for Events only (Default).
--todo	Operate for Todos only. (Not implemented)
--journal	Operate for Journals only. (Not implemented)
<i>Major Operation Modes:</i>	
--view	Print calendar events in specified export format.
--add	Insert an event into the calendar.
--change	Modify an existing calendar event.
--delete	Remove an existing calendar event.
--create <i>filename</i>	Create a new calendar from existing file.
--import <i>import-file</i>	Import this calendar to the main calendar.
--list-calendars	List available calendars.
<i>Operation modifiers:</i>	
--all	View all calendar entries.
--next	View next activity in calendar.

## The KonsoleKalendar Handbook

<code>--show-next days</code>	Starting at specified date show next # days' activities.
<code>--uid UID</code>	View, delete, or change the event with this Unique-string IDentifier.
<code>--date date</code>	Start at this day [YYYY-MM-DD]. Default date is Today
<code>--time time</code>	Start at this time [HH:MM]. Default time for viewing is 07:00. To add or change a floating event, use the <code>--time float</code> or the <code>--end-time float</code> options.
<code>--end-date end-date</code>	End at this day [YYYY-MM-DD]. Default is set by <code>--date</code> .
<code>--end-time end-time</code>	End at this time [HH:MM]. Default end-time for viewing is 17:00. To add or change a floating event, use the <code>--time float</code> or the <code>--end-time float</code> options.
<code>--epoch-start epoch-time</code>	Start at this time [seconds since epoch].
<code>--epoch-end epoch-time</code>	End at this time [seconds since epoch].
<code>--summary summary</code>	Add summary to event (works with add and change).
<code>--description description</code>	Add description to event (works with add and change).
<code>--location location</code>	Add location to event (works with add and change).
<code>--calendar id</code>	Specify a calendar to use. If not specified then your default KOrganizer resource is used.
<i>Export options:</i>	
<code>--export-type export-type</code>	Export file type. Default export file type is Text
<code>--export-file export-file</code>	Export to file. By default, output is written to standard output.
<code>--export-list</code>	Print list of export types supported and exit.

## Chapter 4

# Questions and Answers

1. *What configuration files does KonsoleKalendar use?*  
None.
2. *What are the application names of KonsoleKalendar?*  
KonsoleKalendar's application name is `konsolekalendar`.
3. *What is the date specification format?*  
KonsoleKalendar will reject dates specified on the command line unless they are specified according to ISO 8601 standards, namely: YYYY-MM-DD. Where YYYY represents a four-digit year (like 2003), MM represents a two-digit month (01,02,...,12), and DD represents a two-digit day (01,02,...,31).  
KonsoleKalendar always exports dates according to the ISO 8601 format.
4. *What is the time specification format?*  
KonsoleKalendar will reject times specified on the command line unless they are specified according to ISO 8601 standards, namely: HH:MM:SS. Where HH represents a two-digit hour (01,02,...,24), MM represents a two-digit minute (01,02,...,60), and SS represents a two-digit second (01,02,...,60).  
KonsoleKalendar always exports times according to the ISO 8601 format.
5. *Will KonsoleKalendar insert a new event that is identical to one that already exists in the calendar?*  
No. See next question.
6. *How does KonsoleKalendar determine if an event is identical to one that already exists in the calendar?*  
KonsoleKalendar checks the specified start date and time, end date and time, and summary against all events in the calendar. An event match is determined if all three values match to an existing event.
7. *Can a non-floating event be changed to a floating event?*  
Yes. Use the `--time float` option with `--change`.
8. *Why are event UUIDs printed in most export formats?*  
Because you need to specify UUIDs to delete or change events. If you do not want to see event UUIDs then use the *short* export type (`--export-type short`).
9. *How do I have my question added to this FAQ?*  
Send your questions to [winter@kde.org](mailto:winter@kde.org).

## Chapter 5

# Credits and License

KonsoleKalendar Program copyright 2002-2007:

- Tuukka Pasanen [illuusio@mailcity.com](mailto:illuusio@mailcity.com)
- Allen Winter [winter@kde.org](mailto:winter@kde.org)

Documentation copyright 2003:

- Allen Winter [winter@kde.org](mailto:winter@kde.org)
- Tuukka Pasanen [illuusio@mailcity.com](mailto:illuusio@mailcity.com)

This documentation is licensed under the terms of the [GNU Free Documentation License](#).

This program is licensed under the terms of the [GNU General Public License](#).