

The KDiskFree Handbook

Jonathan Singer
Michael Kropfberger



The KDiskFree Handbook

Contents

| | | |
|----------|--------------------------------------|----------|
| 1 | Introduction | 5 |
| 2 | Using KDiskFree | 6 |
| 2.1 | Starting KDiskFree | 6 |
| 2.2 | The Main window | 6 |
| 2.3 | Menu Bar and Configuration | 7 |
| 2.3.1 | The File Menu | 7 |
| 2.3.2 | The Settings Dialog | 7 |
| 3 | Credits and License | 9 |

Abstract

KDiskFree displays available file devices, along with information about them.

Chapter 1

Introduction

KDiskFree displays the available file devices (hard drive partitions, floppy and CD drives, USB sticks etc.) along with information on their capacity, free space, type and mount point. It also allows you to mount and unmount drives and view them in a file manager.

KDiskFree is similar to the System Settings Storage Devices module, but takes up less screen space. It is useful if you want to keep a KDiskFree window available at all times.

Chapter 2

Using KDiskFree

2.1 Starting KDiskFree

Type **kdf** at a command prompt or select **KDiskFree** from the **System** group in the application launcher. The standard Qt™ and KDE command options are available, and can be listed by entering **kdf --help** at the command prompt.


To run the application as an applet in the systemtray, use **System** → **KwikDisk** in application launcher.

The features of KDiskFree are also available in the System Settings module **Storage Devices**.

2.2 The Main window

The main KDiskFree window displays the available file devices.

Normally, the following pieces of information are included:



| Device | Type | Size | Mount Point | Free | Full % | Usage |
|-----------|-------------|-----------|----------------------------|-----------|--------|-------|
| /dev/scd0 | udf,iso9660 | N/A | /media/cdrom0 | 0 B | N/A | |
| /dev/sda1 | ext4 | 1,3 TiB | /media/bb/HGST-1,5TB-sda1 | 847,9 GiB | 38,3% | 38% |
| /dev/sdb1 | ext4 | 905,8 GiB | / | 211,0 GiB | 76,7% | 77% |
| /dev/sdc1 | ext4 | 1,3 TiB | /media/bb/HGST-1,5TB-sdc11 | 1,3 TiB | 5,1% | 5% |
| /dev/sdd1 | vfat | 1,9 GiB | /media/bb/0A1D-9EB9 | 1,9 GiB | 0,0% | 0% |
| proc | proc | N/A | /proc | 0 B | N/A | |

- an icon depicting the type of storage
- device name
- filesystem type
- total size
- mount point
- free disk space
- the percentage of space used as a number and as a graph.

Left clicking on the header of a particular column sorts the devices according to that variable. A second left click sorts in the opposite order.

Clicking with the right mouse button on a row pops up a menu. If that device is not currently mounted, the **Mount Device** option is available. If the device is mounted, it can be unmounted by choosing **Unmount Device**. Selecting **Open in File Manager** opens a new window with a graphical view of the files on that device.

The setting for the file manager used by KDiskFree is independent from the choice in the System Settings module **Default Applications**.

2.3 Menu Bar and Configuration

2.3.1 The File Menu

File → **Update (F5)**


Immediately updates the display to reflect the current status

File → **Quit (Ctrl+Q)**

Closes KDiskFree

Additionally KDiskFree has some common KDE **Settings** and **Help** menu items, for more information read the sections about the [Settings Menu](#) and [Help Menu](#) of the KDE Fundamentals.

2.3.2 The Settings Dialog



This dialog has two tabbed windows, **General Settings** and **Mount Commands**

General Settings

Click on the word **visible** or **hidden** to turn display of an data field on or off.

Change the update frequency by editing the value. The value in the box is the interval (in seconds) between updates of the KDiskFree display to reflect the current status.

The KDiskFree Handbook

The **File Manager** setting controls the command executed when the **Open Filemanager** popup menu item is selected.

There are also two check boxes. One controls if a file manager window will be automatically opened when a device is mounted. The other causes an alert window to pop up if a disk gets critically full.

Mount Commands

Allows the user to specify the mount and unmount commands for a given device, as well as the icon used to represent it. More information on these commands can be found on the man page for mount (type **man mount** at the command prompt).

Chapter 3

Credits and License

KDiskFree

Program Copyright (c) 1998-2000 Michael Kropfberger michael.kropfberger@gmx.net

Documentation Copyright (c) 2000 Jonathan Singer jsinger@leeta.net

This documentation is licensed under the terms of the [GNU Free Documentation License](#).

This program is licensed under the terms of the [GNU General Public License](#).